FLUORITE

AMMICO



ARZESH AFARIN

MINING & MINERAL INDUSTRIES CO.

FLUORITE

AMMICO

Central Office

+982188370096, +982188370097

+982141425810

info.ammico@gmail.com

Floor 2, No.272, Darya Blvd., Farahzadi Blvd., Shahrak Gharb,
Tehran, Iran 1466933453

Kerman Industrial Complex

+983433386573-6

+983433386577

No. 2 Industrial Town, Karafarin Square,
Kerman, Iran 7617199490

Ferdows Industrial Complex

+985632752014

Parsa Industrial Town, Ferdows,
South Khorasan, Iran 9773183167

AMMICO has established a Dense Media Separation (DMS) production line with an annual capacity of 18,000 tons, aimed at processing and producing fluorspar for various industries. The Kouh Ziarat mine in South Khorasan, is operated by AMMICO to supply fluorspar ore. Fluorspar ore is extracted with a grade ranging between %60-20, depending on the area, and is processed based on different grades. In addition to fluorspar, this production line is capable of processing other mineral materials to increase the purity. The processing plant is located in Shahid Parsa Industrial Park in Ferdows, South Khorasan, and focuses on upgrading fluorspar to meet the needs of various dependent industries.

Fluorspar is utilized across multiple industries, including steel smelting, ceramics, chemicals, and electronics. One of the company's significant goals is the processing of waste from other fluorspar mines in the country, which contributes to environmental preservation and resource conservation by reducing physical operations like extraction and waste removal. Industries such as electrode manufacturing, aluminum, and steel production consume over %95 of the world's fluorspar. In steelmaking, fluorspar is used as a flux to lower slag viscosity, allowing impurities like phosphorus and sulfur to enter the slag. Despite not being a major production material, fluorspar is a critical raw material in the aluminum, chemical, and steel industries worldwide.

METLLURGICAL FLUORITE

Chemical Specifications

Chemical Formula	Specific Weight	Size
CaF_2	3.18 g/Cm^3	16-10 mm

CaF_2	SiO_2	MgO	S	R_2O_3	L.O.I
85.83 %	8.72 %	0.22 %	0.28 %	1.88 %	1.39 %

METLLURGICAL FLUORITE

Chemical Specifications

Chemical Formula	Specific Weight	Size
CaF_2	3.18 g/Cm^3	25-10 mm

CaF_2	SiO_2	MgO	S	R_2O_3	L.O.I
77.09 %	12.24 %	0.39 %	0.31 %	2.23 %	1.92 %

FLUORITE

AMMICO